Local Infusion

MYLOCALINFUSION.COM

LEQVIO (INCLISIRAN) ORDER FORM

PATIENT INFORMATION

Patient Name: _____ DOB: _____

Mobile Number: _____ Patient Weight: _____kg

Allergies: _____

❑ New Start Therapy | ❑ Continuation of Therapy & Date of last dose (if applicable): _____

PRIMARY DIAGNOSIS (Provider must specify)

❑ Disorders of lipoprotein metabolism, ICD 10: E78._____

❑ Other:_____

SECONDARY DIAGNOSIS

❑ Atherosclerotic Heart Disease, ICD 10: I25._____

❑ Iscemic Heart Disease, ICD 10._____

❑ Other:_____

PROVIDER INFORMATION

Provider Name (print name): _____ Provider NPI:_____

Signature: _____ Date: _____

Contact Name: _____ Phone: _____ Fax: _____

Email Address: _____

Prerequisites to treatment – ensure the following information is complete and attached with referral:

❑ Demographics ❑ Labs and tests supporting diagnosis ❑ Office/progress notes

❑ Manufacturer Referral Checklist Form

PRE-MEDICATION (Not typically indicated)

❑ Acetaminophen (Tylenol) 500 mg PO

❑ Benadryl 25mg PO

❑ Famotidine 20 mg IV

❑ Cetirizine (Zyrtec) 10 mg PO

❑ Methylprednisolone (Solu-Medrol) 125 mg IVP

❑ Other: _____ Dose: _____ Route: _____

MEDICATION

MEDICATION	DOSE	ROUTE	FREQUENCY
Leqvio	284 mg	Subcutaneous Inj.	❑ Month 0, 3, then repeat every 6 months ❑ Every 6 months

LABS / SPECIAL INSTRUCTIONS