Local Infusion

MYLOCALINFUSION.COM

ORENCIA (ABATACEPT) ORDER FORM

PATIENT INFORMATION

Patient Name: _____ DOB: _____

Mobile Number: _____ Patient Weight: _____kg

Allergies: _____

❑ Patient has known difficult venous access. Comments: _____

❑ New Start Therapy | ❑ Continuation of Therapy & Date of last dose (if applicable): _____

DIAGNOSIS (Provider must specify)

❑ Adult Rheumatoid Arthritis, ICD 10: M05._____ or M06._____

❑ Psoriatic Arthritis, ICD 10: L40._____

❑ Other: _____

PROVIDER INFORMATION

Provider Name (print name): _____ Provider NPI: _____

Signature: _____ Date: _____

Contact Name: _____ Phone: _____ Fax: _____

Email Address: _____

Prerequisites to treatment – ensure the following information is complete and attached with referral:

❑ Demographics ❑ Labs and tests supporting diagnosis ❑ Office/progress notes

PRE-MEDICATION (Not typically indicated)

❑ Acetaminophen (Tylenol) 500 mg PO

❑ Benadryl 25mg PO

❑ Famotidine 20 mg IV

❑ Cetirizine (Zyrtec) 10 mg PO

❑ Methylprednisolone (Solu-Medrol) 125 mg IVP

❑ Other: _____ Dose: _____ Route: _____

MEDICATION

MEDICATION	DOSE	ROUTE	FREQUENCY
Orencia	❑ 500 mg (Pt weight less than 60 kg) ❑ 750 mg (Pt weight between 60 to 100 kg) ❑ 1,000 mg (Pt weight more than 100 kg)	IV	❑ Weeks 0, 2, 4, then every 4 weeks ❑ Every 4 weeks

LABS / SPECIAL INSTRUCTIONS